

## PRODUCT DESCRIPTION

The BF MIRROR series is a special thermo-adhesive film covered by a very glossy polyester sheet (PET), free of PVC, plasticizers or heavy metals, which gives a total mirrored effect even after the application thanks to its rigid conformation. The cutting line is highly visible, and the workability of the product is simple; its polyester adhesive carrier allows for fast weeding and easy repositioning of any small details that might have accidentally lifted from the carrier.

The cutting plotters blade integrity significantly determines the workability of the film.

## APPLICATION TECHNIQUES

- Knockout
- Layering on other products

## APPLICATION STEPS

- Cut - 45°-60° blade
- Weed excess material
- Turn on your heat press - heat to 150°C/305°F
- Place your graphic on the garment
- Press it - 150°C/305°F for 12 seconds
- Wait 6/7 seconds
- Remove the liner - semi-hot

## SIZES




<b>H 50 cm</b>	L 25 mt / 12,5 mt / 5 mt / 1 mt
<b>H 75 cm</b>	/
<b>H 100 cm</b>	/
<b>H 150 cm</b>	/

## SAFETY NOTICE




The values reported in this document are average values as tested under normal conditions in our lab. We cannot provide a guarantee regarding the information abovementioned in this page. Due to possible variations in the production of garments, B-FLEX recommends testing the material prior to all applications.

Rev\_2021/03






## TECHNICAL DATA

	Film: PET/polyester
	Thickness: 100μ (±5%)
	Liner: adhesive PET
	Finish: gloss

## PLOTTER SETTING

	Cut settings: mirror
	Blade: 45°-60°
	Minimum cut: 0,5 cm

## APPLICATION

	Temperature: 150°C - 305°F
	Time: 12''
	Liner removal: semi-hot, wait 6/7 seconds
	Pressure: medium - 3,5 bar - 50 PSI
	Textile: organic, synthetic, mixed

## WASH RESISTANCE

First wash after application	wait 12 hours
Max wash temperature	30°C - 85°F
Dry clean	✗
Dryer	✗

## BF MIRROR

### COLOUR GUIDE



- Mirror effect
- Don't fold after applied



**BF SG**  
GOLD MIRROR



**BF SS**  
SILVER MIRROR



**BF SR**  
RED MIRROR



**BF S777**  
HOLOGRAPHIC MIRROR

